

Printing date 11.02.2008 Revision: 11.02.2008

### 1 Identification of the substance/preparation and of the company/undertaking

**Product details** 

Trade name: 3029 Osmo Liquid Wax Cleaner, Clear

Application of the substance / the

preparation Maintenance product

Cleaning agent/ Cleaner

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Further information obtainable

*from:* Product safety department

Phone: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

Information in case of

*emergency:* emergency phone no. Berlin (24h): +49 (0) 30 / 19240

### 2 Hazards identification

*Hazard description:* Not applicable.

Information concerning

particular hazards for human and

*environment:* R 10 Flammable.

R 66 Repeated exposure may cause skin dryness or cracking.

R 67 Vapours may cause drowsiness and dizziness.

Classification system: The classification is according to the latest editions of the EU-lists, and extended by

company and literature data.

## 3 Composition/information on ingredients

Chemical characterization

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-49-0 Naphtha (petroleum), hydrotreated light EINECS: 265-151-9 Xn; R 10-65-66-67 50-100%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons  $\geq 30\%$ 

**Additional information:** For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

General information: Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

(Contd. on page 2)



Printing date 11.02.2008 Revision: 11.02.2008

Trade name: 3029 Osmo Liquid Wax Cleaner, Clear

(Contd. of page 1)

After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult

doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If swallowed, seek medical advice immediately and show this container or label.

Information for doctor:

The following symptoms may

occur: Headache
Dizziness

5 Fire-fighting measures

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant

foam.

For safety reasons unsuitable

extinguishing agents:

Water with full jet

Special hazards caused by the substance, its products of

combustion or resulting gases:

Formation of toxic gases is possible during heating or in case of fire.

Protective equipment:

Mouth respiratory protective device.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official

regulations.

Cool endangered receptacles with water spray.

6 Accidental release measures

Person-related safety precautions: Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Measures for environmental

protection: Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Measures for cleaning/collecting: Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,

sawdust).

Additional information: See Section 13 for disposal information.

7 Handling and storage

Handling:

*Information for safe handling:* Keep receptacles tightly sealed.

Use only in well ventilated areas.

(Contd. on page 3)



Printing date 11.02.2008 Revision: 11.02.2008

Trade name: 3029 Osmo Liquid Wax Cleaner, Clear

(Contd. of page 2)

Keep away from heat and direct sunlight.

Prevent formation of aerosols.

Information about fire - and

*explosion protection:* Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Store in a cool location.

Information about storage in one

common storage facility: Do not store together with alkalis (caustic solutions).

Do not store together with oxidizing and acidic materials.

Further information about

storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

### 8 Exposure controls/personal protection

Additional information about

design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

64742-49-0 Naphtha (petroleum), hydrotreated light

TWA (8 H) Short-term value: 1000 mg/m<sup>3</sup>

Source UK SIA

**Additional information:** The lists valid during the making were used as basis.

Personal protective equipment: General protective and hygienic

*measures:* Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Keep away from foodstuffs, beverages and feed.

**Respiratory protection:** Use suitable respiratory protective device only when aerosol or mist is formed.

Not necessary if room is well-ventilated.

**Protection of hands:** Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/

the preparation.

Selection of the glove material on consideration of the penetration times, rates of

diffusion and the degradation

Material of gloves Nitrile rubber, NBR

(Contd. on page 4)



Printing date 11.02.2008 Revision: 11.02.2008

# Trade name: 3029 Osmo Liquid Wax Cleaner, Clear

(Contd. of page 3)

Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective

gloves and has to be observed.

For the permanent contact gloves made of the following materials

made of the following materials are suitable:

Nitrile rubber, NBR

As protection from splashes gloves made of the following

materials are suitable:Nitrile rubber, NBREye protection:Tightly sealed gogglesBody protection:Protective work clothing

## 9 Physical and chemical properties

General Information	
Form:	Fluid
Colour:	Colourless
Odour:	Mild
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 140°C
Flash point:	> 27°C
Ignition temperature:	287°C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures a
	possible.
Explosion limits:	
Lower:	0.8 Vol %
Upper:	6.0 Vol %
Vapour pressure at 20°C:	10 hPa
Density at 20°C:	0.77 g/cm <sup>3</sup>
Solubility in / Miscibility with	
water:	Fully miscible.
Viscosity:	
Kinematic at 20°C:	30 s (DIN 53211/4)

(Contd. on page 5)



Printing date 11.02.2008 Revision: 11.02.2008

Trade name: 3029 Osmo Liquid Wax Cleaner, Clear

(Contd. of page 4)

### 10 Stability and reactivity

Thermal decomposition /

conditions to be avoided:

No decomposition if used according to specifications.

Dangerous decomposition

products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

### 11 Toxicological information

Acute toxicity:

#### LD/LC50 values relevant for classification:

#### 64742-49-0 Naphtha (petroleum), hydrotreated light

 Oral
 LD50
 >2000 mg/kg (rat)

 Dermal
 LD50
 >2000 mg/kg (rat)

 Inhalative
 LC50 / 4h
 >20 mg/l (rat)

Primary irritant effect:

on the skin: At long or repeated contact with skin it may cause dermatitis due to the degreasing

effect of the solvent.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

### 12 Ecological information

Ecotoxical effects:

Acquatic toxicity:

64742-49-0 Naphtha (petroleum), hydrotreated light

EC50 <130 mg/kg (Oncorhynchus mykiss (Regenbogenforelle))

>100 mg/kg (selenastrum capricornutum)

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for

water

Do not allow product to reach ground water, water course or sewage system.

### 13 Disposal considerations

**Product:** 

**Recommendation** Must not be disposed together with household garbage. Do not allow product to reach

sewage system.

(Contd. on page 6)



Printing date 11.02.2008 Revision: 11.02.2008

# Trade name: 3029 Osmo Liquid Wax Cleaner, Clear

(Contd. of page 5)

European waste catalogue		
08 01 11	waste paint and varnish containing organic solvents or other dangerous substances	
15 01 10	packaging containing residues of or contaminated by dangerous substances	

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing agents: Solvent naphtha

### 14 Transport information

Land transport ADR/RID (cross-border)

ADR/RID class: 3 Flammable liquids.

Danger code (Kemler):30UN-Number:1263Packaging group:IIIHazard label:3

Description of goods: 1263 PAINT

Maritime transport IMDG:

IMDG Class:3UN Number:1263Label3Packaging group:IIIEMS Number:F-E,S-EMarine pollutant:NoProper shipping name:PAINT

Air transport ICAO-TI and IATA-DGR:
ICAO/IATA Class: 3
UN/ID Number: 1263
Label 3
Packaging group: III
Proper shipping name: PAINT

### 15 Regulatory information

Labelling according to EU

guidelines: Observe the general safety regulations when handling chemicals.

Although this product is not subject to identification regulations, we recommend that

the safety suggestions are observed.

*Risk phrases:* 10 Flammable.

66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

(Contd. on page 7)



Printing date 11.02.2008 Revision: 11.02.2008

# Trade name: 3029 Osmo Liquid Wax Cleaner, Clear

(Contd. of page 6)

Safety phrases: 2 Keep out of the reach of children.

16 Keep away from sources of ignition - No smoking.

24/25 Avoid contact with skin and eyes.

26 In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

46 If swallowed, seek medical advice immediately and show this container or label.

51 Use only in well-ventilated areas.

Special labelling of certain

preparations: Safety data sheet available for professional user on request.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*Relevant R-phrases* 10 Flammable.

65 Harmful: may cause lung damage if swallowed.

66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

**Department issuing MSDS:** product safety department

Contact: Hr. Dr. Starp

GB