

SAFETY DATA SHEET

PROSAN PLUS

Page 1 Issued: 23/04/2008

Revision No: 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: PROSAN PLUS

Jse of substance / preparation: Caustic Chlorinated Detergent Sanitiser For Beerline Cleaning.

Company name: The Proton Group Ltd

Ripley Drive

Normanton Industrial Estate

Normanton West Yorkshire

WF6 1QT

Tel: 01924 892834 Fax: 01924 220213

Email: mail@proton-group.co.uk

2. HAZARDS IDENTIFICATION

Main hazards: Causes severe burns. Contact with acids liberates toxic gas.

Workplace exposure limit: This substance does not have a workplace exposure limit.

PBT: This substance is not identified as a PBT substance.

Directive 1999/45/EC: This preparation meets the criteria for classification as dangerous in

accordance with Directive 1999/45/EC.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: POTASSIUM PERMANGANATE <1%

EINECS: 231-760-3 CAS: 7722-64-7

[O] R8; [Xn] R22; [N] R50/53

• SODIUM HYDROXIDE 1-10%

EINECS: 215-185-5 CAS: 1310-73-2

[C] R35

• SODIUM HYPOCHLORITE SOLUTION CL ACTIVE 1-10%

EINECS: 231-668-3 CAS: 7681-52-9

[-] R31; [C] R34; [N] R50

4. FIRST AID MEASURES

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to

skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms

of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for

specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to

Issued: 23/04/2008

SAFETY DATA SHEET

PROSAN PLUS

drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as

possible.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use

water spray to cool containers.

Exposure hazards: Corrosive. In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent

contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders

upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn

leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the

specific substance. Absorb into dry earth or sand. Transfer to a closable,

labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation

of the area. Do not handle in a confined space. Avoid the formation or spread

of mists in the air.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: SODIUM HYDROXIDE

UK - 15 min. STEL: 2 mg/m3

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Page 2

Issued: 23/04/2008

SAFETY DATA SHEET

PROSAN PLUS Page 3

Skin protection: Impermeable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid Colour: Purple

Odour: Characteristic odour

Solubility in water: Soluble Relative density: 1.100

pH: 11

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat. Direct sunlight.

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Acute effects: Causes severe burns.

11. TOXICOLOGICAL INFORMATION (SYMPTOMS)

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not

immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There

may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat.

Exposure may cause coughing or wheezing.

12. ECOLOGICAL INFORMATION

Mobility: Readily absorbed into soil.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

PBT identification: This substance is not identified as a PBT substance.

13. DISPOSAL CONSIDERATIONS

Disposal operations: Transfer to a suitable container and arrange for collection by specialised

disposal company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Issued: 23/04/2008

SAFETY DATA SHEET

PROSAN PLUS Page 4

14. TRANSPORT INFORMATION

ADR / RID

UN no: 3266 ADR Class: 8

Packing group: II Classification code: C5

Shipping name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Labelling: 8 Hazard ID no: 80



IMDG / IMO

UN no: 3266 **Class**: 8

Packing group: II EmS: F-A,S-B

Marine pollutant: . Labelling: 8

IATA / ICAO

UN no: 3266 **Class:** 8

Packing group: II Packing instructions: 808(P&CA); 812(CAO)

Labelling: 8

15. REGULATORY INFORMATION

Hazard symbols: Corrosive.



Risk phrases: R35: Causes severe burns.

R31: Contact with acids liberates toxic gas.

Safety phrases: S1/2: Keep locked up and out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face

protection.

S45: In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

Precautionary phrases: Warning! Do not use together with other products. May release dangerous

gases (chlorine).

Haz. ingredients (label): SODIUM HYDROXIDE

Note: The regulatory information given above only indicates the principal

PROSAN PLUS

regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No

1907/2006.

* indicates text in the SDS which has changed since the last revision.

Risk phrases used in s.3: R8: Contact with combustible material may cause fire.

R22: Harmful if swallowed.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

R35: Causes severe burns.

R31: Contact with acids liberates toxic gas.

R34: Causes burns.

R50: Very toxic to aquatic organisms.

Legal disclaimer: The above information is believed to be correct but does not purport to be all

inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above

product.