# Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 9/1/2016 Version: 1.0

1.1. Product	identifier			
Product form		Mixture		
Trade name	:	YELLOW URINAL BLOCK YUB3		
Product code	:	YUB3		
Product group	:	Trade product		
1.2. Relevant	identified uses of the substan	ce or mixture and uses advised	against	
1.2.1. Relevant	identified uses			
Main use category	:	Professional use		
Industrial/Professio	nal use spec :	For professional use only		
Use of the substand	ce/mixture :	Toilet Blocks		
Function or use cate	egory :	Toilet Blocks		
	vised against			
No additional inform				
1.3. Details o No additional inform	f the supplier of the safety data nation available	a sheet		
	ncy telephone number			
Emergency number		0844 848 3444 (office hours only)		
	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information	Dudley Road	0344 892 0111	Comment
onited Kingdoni	Service (Birmingham Centre) City Hospital	B18 7QH Birmingham		
	azards identification			
Skin corrosion/irrita	ording to Regulation (EC) No. 7 tion, Category 2 le/eye irritation, Category 1	1272/2008 [CLP] H315 H318		
Skin corrosion/irrita Serious eye damag Hazardous to the ad	tion, Category 2	H315 H318 azard, Category 3 H412		
Skin corrosion/irrita Serious eye damag Hazardous to the ad Full text of hazard o Adverse physicoc	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en	H315 H318 azard, Category 3 H412 section 16	sting effects.	
Skin corrosion/irrita Serious eye damag Hazardous to the ad Full text of hazard of Adverse physicoc	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage.	H315 H318 azard, Category 3 H412 section 16 vironmental effects	sting effects.	
Skin corrosion/irrita Serious eye damag Hazardous to the ad Full text of hazard of Adverse physicoc Causes skin irritatio 2.2. Label ele	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage.	H315 H318 azard, Category 3 H412 section 16 <b>vironmental effects</b> Harmful to aquatic life with long la	sting effects.	
Skin corrosion/irrita Serious eye damag Hazardous to the ad Full text of hazard o Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ng to Regulation (EC) No. 1272	H315 H318 azard, Category 3 H412 section 16 <b>vironmental effects</b> Harmful to aquatic life with long la	sting effects.	
Skin corrosion/irrita Serious eye damag Hazardous to the ad Full text of hazard o Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ng to Regulation (EC) No. 1272	H315 H318 azard, Category 3 H412 section 16 <b>vironmental effects</b> Harmful to aquatic life with long la	sting effects.	
Skin corrosion/irrita Serious eye damag Hazardous to the ad Full text of hazard o Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ng to Regulation (EC) No. 1272	H315 H318 azard, Category 3 H412 section 16 <b>vironmental effects</b> Harmful to aquatic life with long la	sting effects.	
Skin corrosion/irrita Serious eye damag Hazardous to the ad Full text of hazard o Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ng to Regulation (EC) No. 1272	H315 H318 azard, Category 3 H412 section 16 <b>vironmental effects</b> Harmful to aquatic life with long la	sting effects.	
Skin corrosion/irrita Serious eye damag Hazardous to the ac Full text of hazard o Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir Hazard pictograms	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements hg to Regulation (EC) No. 1272 (CLP)	H315 H318 azard, Category 3 H412 section 16 vironmental effects Harmful to aquatic life with long la	sting effects.	
Skin corrosion/irrita Serious eye damag Hazardous to the ac Full text of hazard o Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir Hazard pictograms Signal word (CLP)	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements hg to Regulation (EC) No. 1272 (CLP) :	H315 H318 azard, Category 3 H412 section 16 vironmental effects Harmful to aquatic life with long la		
Skin corrosion/irrita Serious eye damag Hazardous to the ac Full text of hazard o Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir Hazard pictograms Signal word (CLP) Hazardous ingredie	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ing to Regulation (EC) No. 1272 (CLP) :	H315 H318 azard, Category 3 H412 section 16 vironmental effects Harmful to aquatic life with long la /2008 [CLP] GHS05 Danger Benzenesulphonic Acid Mono C10		Salts
Skin corrosion/irrita Serious eye damag Hazardous to the ac Full text of hazard of Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir Hazard pictograms Signal word (CLP) Hazardous ingredie	tion, Category 2 le/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ing to Regulation (EC) No. 1272 (CLP) :	H315 H318 azard, Category 3 H412 section 16 vironmental effects Harmful to aquatic life with long la /2008 [CLP] GHS05 Danger Benzenesulphonic Acid Mono C10 H315 - Causes skin irritation H318 - Causes serious eye dama	0 - 13 Alkyl Derivs Sodium S ge	Salts
Skin corrosion/irrita Serious eye damag Hazardous to the ar Full text of hazard of Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir Hazard pictograms Signal word (CLP) Hazardous ingredie Hazard statements	tion, Category 2 lee/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ing to Regulation (EC) No. 1272 (CLP) : ents (CLP) :	H315 H318 azard, Category 3 H412 section 16 vironmental effects Harmful to aquatic life with long la /2008 [CLP] GHS05 Danger Benzenesulphonic Acid Mono C10 H315 - Causes skin irritation H318 - Causes serious eye dama H412 - Harmful to aquatic life with	0 - 13 Alkyl Derivs Sodium S ge i long lasting effects	
Skin corrosion/irrita Serious eye damag Hazardous to the ar Full text of hazard of Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir Hazard pictograms Signal word (CLP) Hazardous ingredie Hazard statements	tion, Category 2 lee/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ing to Regulation (EC) No. 1272 (CLP) : ents (CLP) :	H315 H318 azard, Category 3 H412 section 16 vironmental effects Harmful to aquatic life with long la /2008 [CLP] GHS05 Danger Benzenesulphonic Acid Mono C10 H315 - Causes skin irritation H318 - Causes serious eye dama	0 - 13 Alkyl Derivs Sodium S ge I long lasting effects d face thoroughly after hand onment	lling
Skin corrosion/irrita Serious eye damag Hazardous to the ac Full text of hazard of Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir Hazard pictograms Signal word (CLP) Hazardous ingredie	tion, Category 2 lee/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ing to Regulation (EC) No. 1272 (CLP) : ents (CLP) :	H315 H318 azard, Category 3 H412 section 16 vironmental effects Harmful to aquatic life with long la $(2008 \ [CLP])$ GHS05 Danger Benzenesulphonic Acid Mono C10 H315 - Causes skin irritation H318 - Causes serious eye dama H412 - Harmful to aquatic life with P264 - Wash hands, forearms and P273 - Avoid release to the enviro P280 - Wear protective gloves, pr P302+P352 - IF ON SKIN: Wash P305+P351+P338 - IF IN EYES:	0 - 13 Alkyl Derivs Sodium S ge I long lasting effects d face thoroughly after hand onment otective clothing, eye protect with plenty of water Rinse cautiously with water	lling ction, face protection
Skin corrosion/irrita Serious eye damag Hazardous to the ar Full text of hazard of Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir Hazard pictograms Signal word (CLP) Hazardous ingredie Hazard statements	tion, Category 2 lee/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ing to Regulation (EC) No. 1272 (CLP) : ents (CLP) :	H315 H318 azard, Category 3 H412 section 16 vironmental effects Harmful to aquatic life with long la 2008 [CLP]	0 - 13 Alkyl Derivs Sodium S ge long lasting effects d face thoroughly after hand onment otective clothing, eye protect with plenty of water Rinse cautiously with water y to do. Continue rinsing N CENTER, a doctor	lling ction, face protection for several minutes. Remove
Skin corrosion/irrita Serious eye damag Hazardous to the ar Full text of hazard of Adverse physicoc Causes skin irritatio 2.2. Label ele Labelling accordir Hazard pictograms Signal word (CLP) Hazardous ingredie Hazard statements	tion, Category 2 lee/eye irritation, Category 1 quatic environment — Chronic H classes and H-statements : see s hemical, human health and en on. Causes serious eye damage. ements ing to Regulation (EC) No. 1272 (CLP) : ents (CLP) :	H315 H318 azard, Category 3 H412 section 16 vironmental effects Harmful to aquatic life with long la 2008 [CLP]	0 - 13 Alkyl Derivs Sodium S ge long lasting effects d face thoroughly after hand onment otective clothing, eye protect with plenty of water Rinse cautiously with water y to do. Continue rinsing N CENTER, a doctor pplemental first aid instruction	lling ction, face protection for several minutes. Remove on on this label)

Safety Data Sheet

according to Regulation (EU) 2015/830

P362+P364 - Take off contaminated clothing and wash it before reuse P501 - Dispose of contents/container to an approved waste disposal plant

Detergent Regulation: Labelling of contents

Contains: Anionic Surfactants 15-30% Perfumes, Limonene, Citral

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

3.1. Substance

### Not applicable

Г

# 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
BENZENESULPHONIC ACID MONO C10 - 13 ALKYL DERIVS SODIUM SALTS	(CAS No) 68411-30-3 (EC no) 270-115-0 (REACH-no) 01-2119489428-22	10 - 30	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
sodium carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19	1 - 3	Eye Irrit. 2, H319	
Specific concentration limits:				
Name	Product identifier	Specific c	specific concentration limits	
BENZENESULPHONIC ACID MONO C10 - 13 ALKYL DERIVS SODIUM SALTS	(CAS No) 68411-30-3 (EC no) 270-115-0 (REACH-no) 01-2119489428-22	(C >= 65) Ad	cute Tox. 4 (Oral), H302	

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Drink plenty of water. Do not induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after skin contact	: Irritation.
Symptoms/injuries after eye contact	: Serious damage to eyes.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the su	ubstance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	isures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.

Safety Data Sheet

#### according to Regulation (EU) 2015/830

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for co	ontainment and cleaning up
Methods for cleaning up	: Recover mechanically the product.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 1	13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe handli	ng
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product.
7.2. Conditions for safe storage	, including any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure contro	ls/personal protection
8.1. Control parameters	
No additional information available	

8.2.	posure controls
------	-----------------

# Appropriate engineering controls:

Ensure good ventilation of the work station.

### Hand protection:

Protective gloves

# Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

CECTION OF Division

In case of insufficient ventilation, wear suitable respiratory equipment

### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	l chemical properties	
Physical state	: Solid	
Appearance	: Yellow solid.	
Colour	: Yellow.	
Odour	: lemon odour.	
Odour threshold	: No data available	
рН	: No data available	
pH solution	: 8 (≥ 1) %	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: Not applicable	
Boiling point	: No data available	

# Safety Data Sheet

according to Regulation (EU) 2015/830

-			
	Flash point	:	Not applicable
	Auto-ignition temperature	:	Not applicable
	Decomposition temperature	:	No data available
	Flammability (solid, gas)	:	Non flammable.
	Vapour pressure	:	No data available
	Relative vapour density at 20 °C	:	No data available
	Relative density	:	Not applicable
	Solubility	:	Soluble in water.
	Log Pow	:	No data available
	Viscosity, kinematic	:	Not applicable
	Viscosity, dynamic	:	No data available
	Explosive properties	:	Product is not explosive.
	Oxidising properties	:	Oxidising solids Not applicable.
	Explosive limits	:	Not applicable

# 9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
The pro	duct is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability
Stable ι	under normal conditions.
10.3.	Possibility of hazardous reactions
No dang	gerous reactions known under normal conditions of use.
10.4.	Conditions to avoid
None u	nder recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
No addi	itional information available
10.6.	Hazardous decomposition products
No addi	itional information available

# SECTION 11: Toxicological information

 11.1.
 Information on toxicological effects

 Acute toxicity
 Inclusion

: Not classified

BENZENESULPHONIC ACID MONO C10 - 13 ALKYL DERIVS SODIUM SALTS (68411-30-3)		
LD50 oral	1080 mg/kg bodyweight	
LD50 dermal	> 2000 mg/kg bodyweight	
sodium carbonate (497-19-8)		
LD50 oral	4090 mg/kg bodyweight	
LD50 dermal	> 2000 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	2300 mg/m <sup>3</sup>	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 12: Ecological information	tion
12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects.
BENZENESULPHONIC ACID MONO C10	) - 13 ALKYL DERIVS SODIUM SALTS (68411-30-3)
LC50 fish 1	1.67 mg/l
EC50 other aquatic organisms 1	2.9 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	127.9 mg/l IC50 algea (72 h) mg/l
EC50 72h algae (1)	29 mg/l
sodium carbonate (497-19-8)	
LC50 fish 1	300 mg/l
EC50 other aquatic organisms 1	265 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
sodium carbonate (497-19-8)	
Log Pow	-6.19
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB asses	remant
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considera	tions
13.1. Waste treatment methods	
No additional information available	
	••••
SECTION 14: Transport informat	
In accordance with ADR / RID / IMDG / IAT/	A / ADN
14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (ADK) Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN) Proper Shipping Name (RID)	: Not applicable : Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
	: Not applicable
Transport hazard class(es) (IMDG)	
,	
ΙΑΤΑ	
	: Not applicable
IATA Transport hazard class(es) (IATA)	
IATA Transport hazard class(es) (IATA) ADN	: Not applicable
IATA Transport hazard class(es) (IATA)	

Safety Data Sheet

according to Regulation (EU) 2015/830

# RID

Transport hazard class(es) (RID)	: Not applicable
14.4 Decking group	
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

# - Air transport

Not applicable

#### - Inland waterway transport

Not applicable

# - Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Allergenic fragrances >0.01%: Limonene, Citral

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Abbreviations	s and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
EC50	Median effective concentration	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	

# Safety Data Sheet

according to Regulation (EU) 2015/830

LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rai
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects

#### SDS EU (Reach Annex II) GREEN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product