



## SAFETY DATA SHEET CRUSADER OXY DESTAINER

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	CRUSADER OXY DESTAINER
Product number	C011 EV
Internal identification	Professional Hygiene
UFI	UFI: 5XY3-DNYS-K00U-NQ8U

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Hydrogen Peroxide based Bleaching Agent for Laundry Industry.
-----------------	---

#### 1.3. Details of the supplier of the safety data sheet

Supplier	UK Supplier:	EU Supplier:
	Evans Vanodine International plc Brierley Road, Walton Summit, Preston. UK. PR5 8AH Tel: 01772 322 200 e-mail: productcompliance@evansvanodine.co.uk	Evans Vanodine Europe 6-9 Trinity Street, Dublin 2. D02 EY47. Republic of Ireland.

#### 1.4. Emergency telephone number

Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website <a href="http://www.evansvanodine.co.uk">www.evansvanodine.co.uk</a> ) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to 1.30pm
National emergency telephone number	For Health Care Professionals only - For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335
Environmental hazards	Not Classified

#### 2.2. Label elements

##### Hazard pictograms



## CRUSADER OXY DESTAINER

<b>Signal word</b>	Danger
<b>Hazard statements</b>	H302+H332 Harmful if swallowed or if inhaled. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
<b>Precautionary statements</b>	P102 Keep out of reach of children. P261 Avoid breathing vapour/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/ container in accordance with local regulations.
<b>Contains</b>	HYDROGEN PEROXIDE SOLUTION ... %

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>HYDROGEN PEROXIDE SOLUTION ... %</b>	<b>30-60%</b>
CAS number: 7722-84-1                      EC number: 231-765-0  Spec Conc Limits :- Ox. Liq. 1 (H271) >=70%, Ox. Liq. 2 (H272) >=50% <70%, Skin Corr. 1A (H314) >=70%, Skin Corr. 1B (H314) >=50% <70%, Skin Irrit. 2 (H315) >=35% <50%, STOT SE 3 (H335) >=35%, Eye Dam. 1 (H318) >=8% <50%, Eye Irrit. 2 (H319) >=5% <8%	
<b>Classification</b> Ox. Liq. 1 - H271 Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Chronic 3 - H412	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Keep affected person warm and at rest. Get medical attention immediately.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.

## CRUSADER OXY DESTAINER

**Eye contact** Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

### **4.2. Most important symptoms and effects, both acute and delayed**

**General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation** Irritation of nose, throat and airway.

**Ingestion** May cause stomach pain or vomiting.

**Skin contact** Skin irritation. Prolonged skin contact may cause redness and irritation.

**Eye contact** May cause severe eye irritation.

### **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes for the doctor** Treat symptomatically.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards** Thermal decomposition or combustion products may include the following substances:  
Harmful gases or vapours.

### **5.3. Advice for firefighters**

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8. Avoid inhalation of vapours.

### **6.2. Environmental precautions**

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### **6.3. Methods and material for containment and cleaning up**

**Methods for cleaning up** Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

### **6.4. Reference to other sections**

**Reference to other sections** For personal protection, see Section 8.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

**Usage precautions** Wear protective clothing, gloves, eye and face protection. Avoid inhalation of vapours.

### **7.2. Conditions for safe storage, including any incompatibilities**

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from light. Store away from the following materials: Common metals.

## CRUSADER OXY DESTAINER

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**Usage description** See Product Information Sheet & Label for detailed use of this product.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### HYDROGEN PEROXIDE SOLUTION ... %

Long-term exposure limit (8-hour TWA): WEL 1 ppm 1,4 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 2 ppm 2,8 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls** Not relevant.

**Eye/face protection** Wear eye protection.

**Hand protection** Wear protective gloves. (Household rubber gloves.)

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of skin contact.

**Respiratory protection** Respiratory protection not required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Clear. Colourless.
<b>Odour</b>	Odourless.
<b>pH</b>	pH (concentrated solution): 2.00
<b>Melting point</b>	-40°C
<b>Initial boiling point and range</b>	110°C @ 760 mm Hg
<b>Flash point</b>	Boils without flashing.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	1.150 @ 20°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	Not applicable.

## CRUSADER OXY DESTAINER

**Auto-ignition temperature** Not applicable.

**Decomposition Temperature** Not applicable.

**Viscosity** Not available.

### 9.2. Other information

**Other information** None.

**Particle size** Not applicable.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

**Reactivity** The following materials may react strongly with the product: Alkaline earth metals. Powdered metal.

### 10.2. Chemical stability

**Stability** Inadequately vented containers may become pressurised.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** See sections 10.1, 10.4 & 10.5

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight. Avoid Storage above 30°C

### 10.5. Incompatible materials

**Materials to avoid** Alkalies, acids, metal salts and reducing agents. Powdered metal. Flammable/combustible materials.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Decomposes slowly to release oxygen.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

**Toxicological effects** We have not carried out any animal testing, therefore we have no Toxicological Data specifically for this product. The Toxicological Data, where provided by the raw material manufacturer, can be made available on request.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Classification criteria has been met – Product is classified as Harmful if Swallowed.

**ATE oral (mg/kg)** 860.0

#### Acute toxicity - dermal

**Summary** Not applicable.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Classification criteria has been met – Product is classified as Harmful if Inhaled.

**ATE inhalation (vapours mg/l)** 11.0

#### Skin corrosion/irritation

**Skin corrosion/irritation** Causes skin irritation.

#### Serious eye damage/irritation

## CRUSADER OXY DESTAINER

**Serious eye damage/irritation** Causes serious eye damage.

### Respiratory sensitisation

**Summary** Not applicable.

### Skin sensitisation

**Summary** Not applicable.

### Germ cell mutagenicity

**Summary** Not applicable.

### Carcinogenicity

**Summary** Not applicable.

### Reproductive toxicity

**Summary** Not applicable.

### Specific target organ toxicity - single exposure

**STOT - single exposure** May cause respiratory irritation.

**Target organs** Respiratory system, lungs

### Specific target organ toxicity - repeated exposure

**Summary** Not applicable.

### Aspiration hazard

**Summary** Not applicable.

**11.2 Information on other Hazards 11.2.1 Endocrine disrupting properties** None known.

## SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

### 12.1. Toxicity

**Toxicity** We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

### 12.2. Persistence and degradability

**Persistence and degradability** This product, at use dilutions, is readily broken down in biological effluent treatment plants.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

**Partition coefficient** Not applicable.

### 12.4. Mobility in soil

**Mobility** Not known.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

## CRUSADER OXY DESTAINER

**12.6 Endocrine disrupting properties**      None known.

### 12.6. Other adverse effects

**Other adverse effects**      Now section 12.7: None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods**      Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

## SECTION 14: Transport information

**Air transport notes**      Forbidden for Air Transport

### 14.1. UN number

**UN No. (ADR/RID)**      2014

**UN No. (IMDG)**      2014

**UN No. (ICAO)**      2014

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)**      HYDROGEN PEROXIDE, AQUEOUS SOLUTION

**Proper shipping name (IMDG)**      HYDROGEN PEROXIDE, AQUEOUS SOLUTION

**Proper shipping name (ICAO)**      HYDROGEN PEROXIDE, AQUEOUS SOLUTION

### 14.3. Transport hazard class(es)

**ADR/RID class**      Division 5.1: Oxidising substances.

**ADR/RID subsidiary risk**      Class 8: Corrosive substances.

**ADR/RID label**      5.1 & 8

**IMDG class**      Division 5.1: Oxidising substances.

**IMDG subsidiary risk**      Class 8: Corrosive substances.

**ICAO class/division**      Division 5.1: Oxidising substances.

**ICAO subsidiary risk**      Class 8: Corrosive substances.

### **Transport labels**



### 14.4. Packing group

**ADR/RID packing group**      II

**IMDG packing group**      II

**ICAO packing group**      II

### 14.5. Environmental hazards

## CRUSADER OXY DESTAINER

### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS F-H, S-Q

Tunnel restriction code (E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant. for a packaged product.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

**Abbreviations and acronyms used in the safety data sheet** PBT: Persistent, Bioaccumulative and Toxic substance.  
vPvB: Very Persistent and Very Bioaccumulative.  
ATE: Acute Toxicity Estimate.  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
IMDG: International Maritime Dangerous Goods.  
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.  
GHS: Globally Harmonized System.  
Spec Conc Limits = Specific Concentration Limits.

**Classification abbreviations and acronyms** Acute Tox. = Acute toxicity  
Eye Dam. = Serious eye damage  
Ox. Liq. = Oxidising liquid  
Skin Corr. = Skin corrosion  
Skin Irrit. = Skin irritation  
STOT SE = Specific target organ toxicity-single exposure

**Key literature references and sources for data** Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.



## CRUSADER OXY DESTAINER

**Classification procedures  
according to SI 2019 No. 720**

Calculation Method.

**Revision comments**

New Format Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 453/2010 & 1907/2006). - No change in Product Classification. (Changes made to sections 2,3,9,11,12,15+16)

**Revision date**

10/12/2022

**Revision**

9

**SDS status**

The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.

**Hazard statements in full**

H271 May cause fire or explosion; strong oxidiser.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.